

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

**DRAGON STEEL CORPORATION
NO.100, LUNGCHANG ROAD
LUNGJING VILLAGE
43401
TAICHUNG, TAIWAN**



ISO/IEC 17065 : 2012
PC 05102004 CB 01


Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL


Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS EN 10025-2 : 2011



Mohd Azanuddin bin Salleh
Pengarah Urusan
Managing Director
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : 06 January 2015

Certified Since

Sah Sehingga : 06 January 2019

Valid Until

Tarikh Dikeluarkan : 25 October 2017

Issue Date

No Siri : 034136

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

DRAGON STEEL CORPORATION



SIRIM

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : WIDTH (mm) x HEIGHT (mm) x UNIT MASS (kg/m) =B203x203x46,
 B203x203x52,B203x203x60,B203x203x71,B203x203x86,B254x254x63,
 B254x254x73,B254x254x85,B254x254x89,B254x254x107,B254x254x132,
 B254x254x167,B305X165X40,B305X165X46,B305X165X54,B305x305x79,
 B305x305x95,B305x305x97,B305x305x110,B305x305x118,B305x305x126,
 B305x305x137,B305X305X149,B305x305x158,B305X305X180,B305x305x186,
 B305x305x198,B305x305x240,B305X305X283,B356X171X45,
 B356X171X51,B356X171X57,B356X368X129,B356X368X153,B356X368X174,
 B356X368X177,B356X368X202,B356X406X216,B356X406X235,
 B356X406X287,B356X406X314, B356X406X340,B356X406X347,



ISO/IEC 17065 : 2012
 PC 05102004 CB 01

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : WIDTH (mm) x HEIGHT (mm) x UNIT MASS (kg/m) =B356X406X383,
 B406x178x54,B406x178x60,B406x178x67,B406x178x74,B457x152x52,
 B457x152x60,B457x152x67,B457x152x74,B457x152x82,B457X191X89,
 B457X191X98,B457x191x67,B457X191X74,B457X191X82,B533x210x82,
 B533x210x92,B533x210x101,B533x210x109,B533x210x122,B610x229x101,
 B610x229x113,B610x229x125,B610x229x140,B610x305x149,B610x324x155,
 B610x305x179,B610x305x238,B686x254x125,B686x254x140,B686x254x152,
 B686x254x170,B838X292X176,B838X292X194,B838X292X226,B914X305X201,
 B914X305X224,B914X305X253,B914X305X289,B914X305X313, B305X305X223

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : HE 200 B, HE 200 M, HE 260 AA, HE 260 A, HE 260 B, HE 300 AA, HE 300 A, HE
 260 M, HE 300 B, HE 300 M, HE 400 AA, HE 400x107, HE 400 A, HE 400 B, HE
 450 AA, HE 400 M, HE 450x123, HE 450 A, HE 450 B, HE 500 AA, HE 450 M, HE
 500 A, HE 500 B, HE 500 M, HE 600 AA, HE 600x137, HE 600x151, HE 600x174,
 HE 600 A, HE 600 B, HE 600 M

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 410334-X)
 1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 60-3-55446400
 Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : **06 January 2015**

Certified Since

Sah Sehingga : **06 January 2019**

Valid Until

Tarikh Dikeluarkan : **25 October 2017**

Issue Date

No Siri : **034136**

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

DRAGON STEEL CORPORATION



SIRIM

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : DEPTH x WIDTH x WEB THICKNESS x FLANGE THICKNESS (mm) =
 H200X100X5.5/8, H200X200X8/12, H200X204X12/12, H208X202X10/16,
 H244X175X7/11, H244X252X11/11, H250X125X6/9, H250X250X9/14,
 H250X255X14/14, H294X200X8/12, H294X302X12/12, H298X149X5.5/8,
 H298X201X9/14, H300X150X6.5/9, H300X300X10/15, H300X305X15/15,
 H304X301X11/17, H312X303X13/21, H318X307X17/24, H326X310X20/28,
 H336X249X8/12, H338X351X13/13, H340X250X9/14, H344X174X8/8, ,
 H344X348X10/16, H344X354X16/16, H346X174X6/9



ISO/IEC 17065 : 2012
 PC 05102004 CB 01

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : DEPTH x WIDTH x WEB THICKNESS x FLANGE THICKNESS (mm) =
 H350X175X7/11, H350X252X11/19, H350X350X12/19, H350X357X19/19,
 H352X350X12X20, H356X256X15/22, H356X352X14/22, H360X354X16/24,
 H364X258X17/26, H368X356X18/28, H378X358X20/33, H386X299X9/14,
 H388X402X15/15, H390X300X10/16, H394X398X11/18, H394X405X18/18
 H396X199X7/11, H400X200X8/13, H400X304X14/21, H400X400X13/21,
 H400X408X21/21, H406X403X16/24, H408X305X15X25, H408X402X15X25,
 H408X406X19/25, H410X308X18/26

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : DEPTH x WIDTH x WEB THICKNESS x FLANGE THICKNESS (mm) =
 H414X405X18/28, H418X310X20/30, H424X207X15X25, H428X407X20/35,
 H434X299X10/15, H438X407X20/40, H438X417X30/40, H440X300X11/18,
 H446X199X8/12, H446X302X13/21, H450X200X9/14, H450X304X15/23,
 H456X201X10/17, H458X306X17/27, H458X417X30/50, H466X205X14/22,
 H468X308X19/32, H478X208X17/28, H482X300X11/15, H488X300X11/18,
 H494X302X13/21, H496X199X9/14, H500X200X10/16, H500X302X13X24,
 H500X304X15/24, H506X201X11/19, H510X306X17/29, H512X202X12/22

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 410334-X)
 1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 60-3-55446400
 Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : 06 January 2015

Certified Since

Sah Sehingga : 06 January 2019

Valid Until

Tarikh Dikeluarkan : 25 October 2017

Issue Date

No Siri : 034136

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.

This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

DRAGON STEEL CORPORATION



SIRIM

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : DEPTH x WIDTH x WEB THICKNESS x FLANGE THICKNESS (mm) =
 H518X205X15/25, H518X310X21/33, H528X208X18/30, H532X314X25/40,
 H536X210X20/34, H548X215X25/40, H582X300X12/17, H588X300X12/20,
 H594X302X14/23, H596X199X10/15, H600X200X11/17, H600X304X16/26,
 H606X201X12/20, H608X306X18/30, H612X202X13/23, H616X308X20/34,
 H618X205X16/26, H618X307X19/35, H626X207X18/30, H628X312X24/40,
 H634X209X20/34, H646X214X25/40, H692X300X13/20, H700X300X13/24,
 H701X356X16.8/27.4, H702X300X13/25, H708X302X15/28, H712X306X19/30,
 H714X303X16/31, H714X356X19.1/34, H718X308X21/33, H720X306X19/34



ISO/IEC 17065 : 2012
 PC 05102004 CB 01

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : DEPTH x WIDTH x WEB THICKNESS x FLANGE THICKNESS (mm) =
 H728X311X24/38, H730X307X20/39, H732X311X24/40, H792X300X14/22,
 H800X300X14/26, H804X300X14/28, H804X302X16/28, H808X302X16/30,
 H808X306X20/30, H812X302X18/32, H816X306X20/34, H818X304X18/35,
 H820X306X20/36, H824X306X20/38, H824X308X22/38, H828X308X22/40,
 H890X299X15/23, H900X300X16/28, H912X302X18/34, H918X303X19/37,
 H924X309X25/40

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : HEIGHT (inch) X UNIT MASS (lbs/ft) = HP8X36, HP10X42, HP10X57, HP12X53,
 HP12X63, HP12X74, HP12X84, HP14X73, HP14X89, HP14X102, HP14X117,
 W8X31, W8X35, W8X40, W8X48, W8X58, W8X67, W10X49, W10X54, W10X60,
 W10X68, W10X77, W10X88, W10X100, W12X26, W12X30, W12X35, W12X65,
 W12X72, W12X79, W12X87, W12X96, W12X106, W12X120, W12X136, W14X30,
 W14X34, W14X38, W14X68, W14X90, W14X99, W14X109, W14X120, W14X132,
 W14X145, W14X159, W14X176, W14X193, W14X211, W14X233

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 410334-X)
 1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 60-3-55446400
 Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : 06 January 2015

Certified Since

Sah Sehingga : 06 January 2019

Valid Until

Tarikh Dikeluarkan : 25 October 2017

Issue Date

No Siri : 034136

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.

This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

DRAGON STEEL CORPORATION



SIRIM

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : HEIGHT (inch) X UNIT MASS (lbs/ft) = W14X257, W16X36, W16X40, W16X45, W16X50, W16X57, W18X35, W18X40, W18X46, W18X50, W18X55, W18X60, W18X65, W18X71, W21X44, W21X50, W21X55, W21X57, W21X62, W21X68, W21X73, W21X83, W21X93, W24X68, W24X76, W24X84, W24X94, W24X104, W24X117, W24X131, W24X146, W24X162, W24X176, W24X192, W24X207, W24X229, W27X84, W27X94, W27X102, W27X114, W27X129, W27X146, W27X161, W27X178, W27X194, W33X118, W33X130, W33X141, W33X152, W33X169, W33X187, W33X204, W36X135, W36X150, W36X160, W36X170, W36X182, W36X194, W36X210, W36X232



ISO/IEC 17065 : 2012
 PC 05102004 CB 01

Brand : DRAGON STEEL
 Model : H-SECTION
 Rating : DELIVERY CONDITION = +AR (AS ROLLED)
 Type : STEEL NAME : STRUCTURAL STEEL = S275JR, S275J0, S355JR, S355J0
 Size : 150UCX30kg/m, 150UCX37.2kg/m, 200UCX46.2kg/m, 200UCX52.2kg/m, 200UCX59.5kg/m, 250UBX25.7kg/m, 250UCX72.9kg/m, 250UCX89.5kg/m, 310UBX32kg/m, 310UCX96.8kg/m, 310UCX118kg/m, 310UCX137kg/m, 310UCX158kg/m, 410UBX53.7kg/m, 410UBX59.7kg/m, 530UBX82kg/m, 530UBX92.4kg/m, 610UBX101kg/m, 610UBX113kg/m, 610UBX125kg/m

End of page

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 410334-X)
 1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 60-3-55446400
 Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : 06 January 2015

Certified Since

Sah Sehingga : 06 January 2019

Valid Until

Tarikh Dikeluarkan : 25 October 2017

Issue Date

No Siri : 034136

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.